CLINICA CHIMICA ACTA
Vol. 42 (1972)

BLANK
PAGE

CLINICA CHIMICA ACTA

INTERNATIONAL MONTHLY OF CLINICAL CHEMISTRY

Vol. 42 (1972)

Sponsored by the following National Societies:

Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, *Switzerland*

Editor-in-chief:
S. C. Frazer, Aberdeen

Editors:
for the Americas – M. Rubin, Washington, D.C.
for the British Commonwealth – R. Gaddie, Birmingham
for all other territories, including Europe – E. J. van Kampen, Groningen

Editorial Secretary:
Th. Strengers, P.O. Box 4073, Amsterdam, The Netherlands

ELSEVIER PUBLISHING COMPANY
AMSTERDAM

CLINICA CHIMICA ACTA Vol. 42 (1972)

AUTHOR INDEX

ABE, T., ENDO, M., YOSIZAWA, Z.
(Study on the uterine mucosubstances accompanying the infertility effect of an intrauterine device) 29

ABE, K. see IINO, S. 161

ACCARY, J. P. see POINTER, H. 321

ANKER, A. P., VAN KAMPEN, E. J.
(A quick and accurate pregnanediol determination in urine during pregnancy by semi-automated gas-liquid chromatography) 335

ANNAN, W. see ISHERWOOD, D. M. . . . 295

APTER, C., CHAYEN, R., GOULD, S., HARELL, A.
(Determination of individual urinary 17-ketosteroids as the dansyl-hydrazones) 115

BAERLOCHER, K. see CURTIUS, H.-CH. . . 233

BAGNALL, T. F.
(Composition of low density lipoprotein in children with familial hyperbetalipoproteinaemia and the effect of treatment) 229

BANDO, K. see IRIE, A. 63

BEEKHUIS, H. see SLUITER, W. J. . . . 255

BELFRAGE, P. see NILSSON-EHLE, P. . . 383

BELL, E. D., TONG, D., MAINWARING, W. I. P., HAYWARD, J. L., BULBROOK, R. D.
(Tryptophan metabolism and recurrence rates after mastectomy in patients with breast cancer) 445

BIDDLE, F. see SHORTRIDGE, K. F. . . . 285

BIESOLD, D., GÜNTHER, K.
(Improved method for investigation of copper metabolism in patients with Wilson's disease using ^{61}Cu) 353

BJERMANN, I. see TORSVIK, H. 433

BOCKHORN, H. see WEISE, M. 391

BOHOUN, C. see BRUNELLE, PH. 201

BOMAN, H. see TORSVIK, H. 433

BONFILS, S. see POINTER, H. 321

BOOTH, E. M. see ROBINS, A. J. 215

BOURRILLON, R. see FRÉNOY, J.-P. . . . 51

BOUSQUET, B., BOUVIER, J.-L., DREUX, C.
(Amino acidurie globale determinée par spectrométrie d'absorption atomique) . 327

BOUVIER, J.-L. see BOUSQUET, B. . . . 327

BREMER, H. J., see KRAFFCZYK, F. . . . 303

BRUNELLE, PH., BOHOUN, C.
(Baisse de la thiiodothyronine serique avec l'age) 201

BUNDGAARD CHRISTIANSEN, N. J., DAMKJÆR NIELSEN, M.
(Digoxin radioimmunoassay: sephadex separation of free from antibody-bound digoxin) 125

BUNGERT, H.-J. see LEONHARDT, H. . . 181

BULBROOK, R. D. see BELL, E. D. . . . 445

CARDI, E. see GIARDINI, O. 15

CASTRO, M. see GIARDINI, O. 15

CHAYEN, R. see APTER, C. 115

CHONG, Y. H. see MILLS, G. L. 273

CRAIG, L. see MURPHY, J. V. 267

CURTIUS, H.-CH., BAERLOCHER, K., VOLLMIN, J. A.
(Pathogenesis of phenylketonuria: inhibition of dopa and catecholamine synthesis in patients with phenylketonuria) 233

DAMKJÆR NIELSEN, M. see BUNDGAARD CHRISTIANSEN, N. J. 125

DE BREE, P. K. see KLOSSE, J. A. 409

DE BROE, M. E. see YOURASSOWSKY, E. . 189

DE LANGE, W. E., VISSER, J. W. E., DOORENBOS, H.
(Hormonal influences on the concentration of tyrosine in blood) 21

DONFRANCESCO, A. see GIARDINI, O. . . 15

DOORENBOS, H. see DE LANGE, W. E. . . 21

DOORENBOS, H. see SLUITER, W. J. . . . 255

DORCHE, J. see JONCQUIERT, F. 361

DREUX, C. see BOUSQUET, B. 327

DUBRASQUET, M. see POINTER, H. . . . 321

ENDO, M. see ABE, T. 29

EVANS, J. R.
(The gas chromatography of calciferol, dihydrotachysterol and cholesterol) . . 167

EVANS, J. R.
(Methods for the estimation of ergocalciferol and dihydrotachysterol$_2$ in human serum) 343

FENG, H. W., MU, J. Y., KU, Y., LEE, F. S., WANG, R. B., YUN, T. K.
(Uterine and hepatic protein biosynthesis in estrogen-treated and thyroidectomized rats) 225

FRÉNOY, J.-P., RAZAFIMAHALEO, E., BOURRILLON, R.
(Préparation des α_2-macroglobulines humaines individuelles propiétés chimi-

ques comparées) 51
FUKUSHIMA, N. see MATSUDA, I. 241
FULLMER, H. M. see ROBERTSON, P. B. . 43
GIARDINI, O., CARDI, E., CASTRO, M., DONFRANCESCO, A.
(Biochemical analysis of liver biopsy specimens, bone marrow, peripheral white and red cells, and serum for the diagnosis *in vivo* of Niemann–Pick disease) 15
GOH, T.-C. see SEET, A.-M. 209
GOMPERTZ, D. see GOODEY, P. A. 119
GOODEY, P. A., GOMPERTZ, D.
(Methylmalonyl CoA mutase—a radiochromatographic assay) 119
GOULD, S. see APTER, C. 115
GROC, W., PISSAVY, M.
(Die Präzipitatiedentifizierung bei der zentripetal-radialen Immunodiffusion) . 423
GÜNTHER, K. see BIESOLD, D. 353
HAGENFELDT, L., HAGENFELDT, K.
(Gas chromatographic–mass spectrometric analysis of organic acids in amniotic fluid) 219
HAGENFELDT, K. see HAGENFELDT, L. . . 219
HAMBLIN, T. J., HOLTON, J. B.
(The effect of an intravenous histidine load on the plasma level of other amino acids) 37
HARBOE, M. see TORSVIK, H. 433
HARELL, A. see APTER, C. 115
HASHINOTSUME, M. see KANG, K.-Y. . . 175
HAYWARD, J. L. see BELL, E. D. 445
HELGER, R. see KRAFFCZYK, F. 303
HIGASHINO, K. see KANG, K.-Y. 175
HOLTON, J. B. see HAMBLIN, T. J. . . . 37
HORDER, M.
(Inorganic pyrophosphatase activity in human sera with elevated alkaline orthophosphatase activity) 373
HUISTRA, D. Y. see KLOSSE, J. A. 409
HUNAKI, M. see IRIE, A. 63
HUNTELER, J. L. A., VAN DER SLIK, W.
(A modification of serum cholesterol determination by continuous flow analysis) 449
IINO, S., ABE, K., ODA, T., SUZUKI, H., SUGIURA, M.
(A new method of radioimmunoassay for human placental alkaline phosphatase) 161
IRIE, A., HUNAKI, M. BANDO, K., KAWAI, K.
(Determination of amylase activity in serum and urine using blue starch substrate) 63
ISHERWOOD, D. W., ISHERWOOD, D. R., ANNAN, W.
(Factors affecting the precision and accuracy of P_{O_2} measurements using the Clark electrode) 295
ISHERWOOD, D. R. see ISHERWOOD, D. M. 295
ISHIHARA, A. see KURAHASI, K. 141
JEMMALI, M., RODRÍGUEZ-KÁBANA, R.
(Studies of conditions for the polarographic determination of glucose with glucose oxidase) 153
JOHNSON, P. F. see SHREEVE, D. R. . . . 453
JOLLÈS, P. see PÉRIN, J.-P. 77
JONCQUIERT, F., NYSSEN, M., PLUMET, A., DORCHE, J.
(Application de l'automatisation à la détermination de la 5'-nucléotidase sérique chez l'homme) 361
KANG, K.-Y., HIGASHINO, K. YAKAHASHI, Y., HASHINOTSUME, M., TAMAMURAM Y.
(α-Fetoprotein in infantile diseases) . . 175
KAWAI, K. see IRIE, A. 63
KELLETER, R., SEILER, D.
(Glycogen breakdown in human lymphocytes: activities of phosphorylase and α-1,4-glucosidases) 57
KLOSSE, J. A., HUISTRA, D. Y., DE BREE, P. K., WADMAN, S. K., VLIEGENTHART, J. F. G.
(An automated chromatographic system for the combined analysis of urinary peptides and amino acids) 409
KRAFFCZYK, F., HELGER, R., BREMER, H. J.
(Thin-layer chromatographic screening tests for carbohydrate anomalies in plasma, urine and faeces) 303
KU, Y. see FENG, H. W. 225
KURAHASI, K., ISHIHARA, A., UEHARA, H.
(Determination of ammonia in blood plasma by an ion exchange method) . . 141
LAWRENCE, E. F. see PATERSON, Y. . . . 131
LEE, F. S. see FENG, H. W. 225
LEFEVRE, M. see SCHULLER, E. 5
LEONHARDT, H., BUNGERT, H.-J.
(Untersuchungen über die Wechselwirkung von Fibrinogen, Globulinen und Albumin auf die Plasmaviscosität) . . 181
LEVDIKOVA, G. A., OREKHOVICH, V. N.
(On a collagenase-like enzyme detected in the extracts of hypothalamus and hypophysis) 205
LIM, P., TAY, B. S., TAN, I. K.
(Nail magnesium and calcium in chronic uraemia) 47
LINDMARK, D. G. see MURPHEY, W. H. . 309
MAINWARING, W. I. P. see BELL, E. D. . 445
MALLICK, N. P. see ROBINS, A. J. 215
MARCUSON, R. W., TOMLINSON, B.
(L-phenylalanine inhibition as a method for measuring the intestinal component of alkaline phosphatase in dog serum) . 245
MATSUDA, I., SHIDA, N., TAKEKOSHI, Y., FUKUSHIMA, N.
(Renal acid excretion in patients with hypogammaglobulinemia) 241
MILEWCZYK, B. K. see ROBINS, A. J. . . 215
MILLS, G. L., CHONG, Y. H., TAYLAUR, C. E.
(Variation in composition of serum low density lipoproteins in healthy men) . . 273
MORRISON, B.
(Use of the Beckman glucose analyser for low and high glucose values) 192
MU, J. Y. see FENG, H. W. 225

MURPHY, J. V., CRAIG, L.
(Neuraminidase-induced changes in white blood cell hexosaminidase A) . . 267
MURPHEY, W. H., PATCHEN, L., LINDMARK, D. G.
(Carnosinase: a fluorometric assay and demonstration of two electrophoretic forms in human tissue extracts) . . . 309
MURPHY, D., PENNOCK, C. A.
(Gas chromatographic measurement of blood and urine glucose and other monosaccharides) 67
NAKA, H.
(Application of serum cholesterol determination with *o*-phthaldehyde reagent to the Vickers M-300 automated biochemical analysis system) 193
NIEBES, P.
(Determination of enzymes and degradation products of glycosaminoglycan metabolism in the serum of healthy and varicose subjects) 399
NILSSON-EHLE, P., TORNQVIST, H., BELFRAGE, P.
(Rapid determination of lipoprotein lipase activity in human adipose tissue) . 383
NØRGAARD-PEDERSEN, B., SIGGAARD-ANDERSEN, O., REM, J.
(Hemoglobin pigments. III. Mixing technique for preparation of known fractions of hemoglobin pigments) 109
NØRGAARD-PEDERSEN, B. see REM, J. . . 101
NORGAARD-PEDERSEN, B. see SIGGAARD-ANDERSEN, O. 85
NORUM, K. R. see TORSVIK, H. 433
NYSSEN, M. see JONCQUIERT, F. 361
ODA, T. see IINO, S. 161
OREKHOVICH, V. N. see LEVDIKOVA, G. A. 205
PATCHEN, L. see MURPHEY, W. H. . . . 309
PATERSON, Y., LAWRENCE, E. F.
(Fators affecting serum creatine phosphokinase levels in normal adult females) 131
PAYNE, R. B.
(The application of standard deviation calculated from successive duplicates to quality control data) 263
PENNOCK, C. A. see MURPHY, D. 67
PEPPER, D. S. see SHORTRIDGE, K. F. . . 285
PÉRIN, J.-P., JOLLÈS, P.
(Étude comparée des lysozymes de leucocytes de sujets sains et de malades atteints de leucémie myéloïde chronique) 77
PISSAVY, M. see GROC, W. 423
PLUMET, A. see JONCQUIERT, F. 361
POINTNER, H., VATIER, J., DUBRASQUET, M., ACCARY, J. P., BONFILS, S.
(Isolation of a gastrosecretagogue substance from hog pancreas) 321
RAZAFIMAHALEO, E. see FRÉNOY, J.-P. . . 51
REM, J., SIGGAARD-ANDERSEN, O., NORGAARD-PEDERSEN, B., SØRENSEN, S.
(Hemoglobin pigments. II. Photometer for oxygen saturation carboxyhemoglobin and methemoglobin in capillary blood) 101
REM, J. see NØRGAARD-PEDERSEN, B. . . 109
REM, J. see SIGGAARD-ANDERSEN, O. . . 85
RINGOIR, S., WIEME, R. J.
(Serum LDH in hemodialysis) 315
ROBERTSON, P. B., TAYLOR, R. E., FULLMER, H. M.
(A reproducible quantitative collagenase radiofibril assay) 43
ROBINS, A. J., MILEWCZYK, B. K., BOOTH, E. M., MALLICK, N. P.
(Plasma amino acid abnormalities in chronic renal failure) 215
RODRÍGUEZ-KÁBANA, R. see JEMMALI, M. 153
SCHULLER, E., LEFEVRE, M., TÖMPE, L.
(Electroimmunodiffusion of α_2M, IgA and IgM in nanogram quantities with a hydroxyethylcellulose–agarose gel: application to unconcentrated CSF) . . . 5
SEET, A.-M., GOH, T.-C.
(Detection of faecal occult blood using chlorpromazine as reagent) 209
SEILER, D. see KELLETER, R. 57
SHIDA, N. see MATSUDA, I. 241
SHORTRIDGE, K. F., BIDDLE, F., PEPPER, D. S.
(Rubella virus non-specific haemagglutination inhibitor: evidence for the role of glycolipid bound to low density (β) lipoprotein) 285
SHREEVE, D. R., JOHNSON, P. F.
(Comparison between [^{14}C]Inulin and [^{51}Cr]EDTA measurement of glomerular filtration rate in man) 453
SIGGAARD-ANDERSEN, O., NØRGAARD-PEDERSEN, B., REM, J.
(Hemoglobin pigments, I. Spectrophotometric determination of oxy-, carboxy-, met-, and sulfhemoglobin in capillary blood) 85
SIGGAARD-ANDERSEN, O. see REM, J. . . 101
SIGGAARD-ANDERSEN, O. see NØRGAARD-PEDERSEN, B. 109
SLUITER, W. J., VAN KERSEN, F., VAN ZANTEN, A. K., BEEKHUIS, H., DOORENBOS, H.
(A radioimmunoassay of human TSH, employing a solid phase second antibody, and a purified globulin preparation for standardization of nonspecific protein interactions) 255
SØRENSEN, S. see REM, J. 101
STÜBCHEN-KIRCHNER, H. see TILZ, G. P. 147
SUGIURA, M. see IINO, S. 161
SUZUKI, H. see IINO, S. 161
TAKEKOSHI, Y. see MATSUDA, I. 241
TAKAHASHI, Y. see KANG, K.-Y. 175
TAN, I. K. see LIM, P. 47
TANIGUCHI, N.
(Preparative separation of urinary acidic glycosaminoglycans by agar gel electrophoresis) 221
TAY, B. S. see LIM, P. 47
TAYLAUR, C. E. see MILLS, G. L. 273
TAYLOR, R. E. see ROBERTSON, P. B. . . 43

Tilz, G. P., Stübchen-Kirchner, H.
(Nachweis von niedermolekularen Bestandteilen in verschiedenen Antilymphocytenglobulinen) 147
Tomlinson, B. see Marcuson, R. W. . . 245
Tömpe, L. see Schuller, E. 5
Tong, D. see Bell, E. D. 445
Tornqvist, H. see Nilsson-Ehle, P. . . . 383
Torsvik, H., Boman, H., Bjermann, I., Harboe, M., Norum, K. R.
(Binding of lipid dyes to immunoglobins) 433
Uehara, H. see Kurahasi, K. 141
Vatier, J. see Pointer, H. 321
van der Slik, W. see Hunteler, J. L. A. 449
van Kampen, E. J. see Anker, A. P. . . 335
van Kersen, F. see Sluiter, W. J. . . . 255
van Zanten, A. K. see Sluiter, W. J. . 255
Visser, J. W. E. see De Lange, W. E. . 21
Vliegenthart, J. F. G. see Klosse, J. A. 409
Vollmin, J. A. see Curtius, H.-Ch. . . 233
Wadman, S. K. see Klosse, J. A. 409
Wang, R. B. see Feng, H. W. 225
Weise, M., Bockhorn, H.
(Discontinuous microdisc-electrophoresis for quantitative albumin determination in urine of patients with kidney transplants) 391
Wieme, R. J. see Yourassowsky, E. . . 189
Wieme, R. J. see Ringoir, S. 315
Woodley, J. F.
(Pyrrolidoencarboxylyl peptidase activity in normal intestinal biopsies and those from coeliac patients) 211
Yamamura, Y. see Kang, K.-Y. 175
Yosizawa, Z. see Abe, T. 29
Yourassowsky, E., De Broe, M. E., Wieme, R. J.
(Effect of heparin on gentamicin concentration in blood) 189
Yun, T. K. see Feng, H. W. 225

CLINICA CHIMICA ACTA Vol. 42 (1972)

SUBJECT INDEX

Albumin, fibrinogen, globulin and, investigations on the interaction of, on plasma viscosity (LEONHARDT, BUNGERT) . . 181
Albumin determination, discontinuous microdisc-electrophoresis for quantitative, in urine of patients with kidney transplants (WEISE, BOCKHORN) . . . 391
Alkaline orthophosphatase activity, elevated, inorganic pyrophosphatase activity in human sera with (HORDER) . . . 373
Alkaline phosphatase, human placental, a new method of radioimmunoassay for (IINO, ABE, ODA, SUZUKI, SUGIURA) . . 161
Alkaline phosphatase in dog serum, L-phenylalanine inhibition as a method, for measuring the intestinal component of (MARCUSON, TOMLINSON) 245
Amino acids, urinary excretion of, determined by atomic absorption spectrometry (BOUSQUET, BOUVIER, DREUX) . 327
Amino acids, urinary peptides and, an automated chromatographic system for the combines analysis of (KLOSSE, HUISTRA, DE BREE, WADMAN, VLIEGENTHART) 409
Ammonia, determination of, in blood plasma by an ion exchange method (KURAHASI, ISHIHARA, UEHARA) 141
Amniotic fluid, gas chromatographic-mass spectrometric analysis of organic acids in (HAGENFELDT, HAGENFELDT) . . . 219
Amylase activity, determination of, in serum and urine using blue starch substrate (IRIE, HUNAKI, BANDO, KAWAI) . 63
Beckman glucose analyser, use of the, for low and high glucose values (MORRISON) 192
Blood and urine glucose, gas chromatographic measurement of, and other monosaccharides (MURPHY, PENNOCK) . . . 67
Bone marrow, biochemical analysis of liver biopsy specimens, peripheral white and red cells, and serum for the diagnosis *in vivo* of Niemann–Pick disease (GIARDINI, CARDI, CASTRO, DONFRANCESCO) 15
Calciferol, dihydrotachysterol and cholesterol, the gas chromatography of (EVANS 167
Calcium, nail magnesium and, in chronic uraemia (LIM, TAY, TAN) 47
Cancer, breast, tryptophan metabolism and recurrence rates after mastectomy in patients with (BELL, TONG, MAINWARING, HAYWARD, BULBROOK) . . . 445
Capillary blood, photometer for oxygen saturation, carboxyhemoglobin, and methemoglobin in (II). Hemoglobin pigments (REM, SIGGAARD-ANDERSEN, NØRGAARD-PEDERSEN, SØRENSEN) . . 101
Capillary blood, spectrophotometric determination of oxy-, carboxy-, met-, and sulfhemoglobin in (I). Hemoglobin pigments (SIGGAARD-ANDERSEN, NØRGAARD PEDERSEN, REM) 85
Carbohydrate anomalies, thin-layer chromatographic screening tests for, in plasma, urine and faeces (KRAFFCZYK, HELGER, BREMER) 303
Carnosinase: a fluorometric assay and demonstration of two electrophoretic forms in human tissue extracts (MURPHEY, PATCHEN, LINDMARK) 309
Catecholamine synthesis, inhibition of dopa and, in patients with phenylketonuria: pathogenesis of phenylketonuria (CURTIUS, BAERLOCHER, VOLLMIN) . . 233
Centripetal-radial immunodiffusion, identification of precipitates in (GROC, PISSAVY) 423
Chlorpromazine as reagent, detection of faecal occult blood using (SEET, GOH) . 209
Cholesterol, calciferol, dihydrotachysterol and, the gas chromatography of (EVANS) 167
Cholesterol determination, serum, application of, with *o*-phthaldehyde reagent to the Vickers M-300 automated biochemical analysis system (NAKA) 193
Cholesterol determination, serum, a modification of, by continuous flow analysis (HUNTELER, VAN DER SLIK) 449
Chromatographic system, an automated, for the combined analysis of urinary peptides and amino acids (KLOSSE, HUISTRA, DE BREE, WADMAN, VLIEGENTHART) 409
Clark electrode, P_{O_2} measurements using the, factors affecting the precision and accuracy of (ISHERWOOD, ISHERWOOD, ANNAN) 295
Coeliac patients, pyrrolidonecarboxylyl

peptidase activity in normal intestinal biopsies and those from (WOODLEY) . . 211
Collagenase radiofibril assay, a reproducible quantitative(ROBERTSON, TAYLOR, FULLMER) 43
Collagenase-like enzyme, on a, detected in the extracts of hypothalamus and hypophysis (LEVDIKOVA, OREKHOVICH) . . 205
Continuous flow analysis, a modification of serum cholesterol determination by (HUNTELER, VAN DER SLIK) 449
Copper metabolism in patients with Wilson's disease using ^{64}Cu, improved method for investigation of (BIESOLD, GÜNTHER) 353
Creatine phosphokinase levels, serum, factors affecting, in normal adult females (PATERSON, LAWRENCE) 131
Dansyl-hydrazones, determination of individual urinary 17-ketosteroids as the (APTER, CHAYEN, GOULD, HARELL) . . 115
Digoxin radioimmunoassay: sephadex separation of free from antibody-bound digoxin (BUNDGAARD CHRISTIANSEN, DAMKJÆR NIELSEN) 125
Dihydrotachysterol and cholesterol, the gas chromatography of calciferol (EVANS) . 167
Dihydrotachysterol$_2$ in human serum, methods for the estimation of ergocalciferol and (EVANS) 343
Dopa, inhibition of, and catecholamine synthesis in patients with phenylketonuria: pathogenesis of phenylketonuria (CURTIUS, BAERLOCHER, VOLLMIN) . . 233
[^{51}Cr]EDTA measurement of glomerular filtration rate in man, comparison between [^{14}C]Inulin and (SHREEVE, JOHNSON) 453
Electroimmunodiffusion of α_2M, IgA and IgM in nanogram quantities with a hydroxyethylcellulose-agarose gel: application to unconcentrated CSF (SCHULLER, LEFEVRE, TÖMPE) 5
Electrophoresis, agar gel, preparative separation of urinary acidic glycosaminoglycans by (TANIGUCHI) 221
Electrophoretic forms, two, in human tissue extracts, a fluorometric assay and demonstration of: carnosinase (MURPHEY, PATCHEN, LINDMARK) 309
Ergocalciferol and dihydrotachysterol$_2$ in human serum, methods for the estimation of (EVANS) 343
Faeces, plasma, urine and, thin-layer chromatographic screening tests for carbohydrate anomalies in (KRAFFCZYK, HELGER, BREMER) 303
Faecal occult blood, detection of, using chlorpromazine as reagent (SEET, GOH) 209
α-Fetoprotein in infantile diseases (KANG, HIGASHINO, TAKAHASHI, HASHINOTSUME, YAMAMURA) 175
Fibrinogen, globulin and albumin, investigations on the interaction of, on plasma viscosity (LEONHARDT, BUNGERT) . . . 181
Fluorometric assay, a, and demonstration of two electrophoretic forms in human tissue extracts: carnosinase (MURPHEY, PATCHEN, LINDMARK) 309
Gas chromatographic measurement of blood and urine glucose and other monosaccharides (MURPHY, PENNOCK) . . . 67
Gas chromatographic-mass spectrometric analysis of organic acids in amniotic fluid (HAGENFELDT, HAGENFELDT) . . 219
Gas chromatography, the, of calciferol, dihydrotachysterol and cholesterol (EVANS) 167
Gas-liquid chromatography, semi-automated, a quick and accurate pregnanediol determination in urine during pregnancy by (ANKER, VAN KAMPEN) . . . 335
Gastrosecretagogue substance from hog pancreas, isolation of a (POINTER, VATIER, DUBRASQUET, ACCARY, BONFILS) 321
Gentamicin concentration in blood, effect of heparin on (YOURASSOWSKY, DE BROE, WIEME) 189
Globulin and albumin, investigations on the interaction of fibrinogen, on plasma viscosity (LEONHARDT, BUNGERT) . . . 181
Globulin preparation, a purified, for standardization of nonspecific protein interactions, a radioimmunoassay of human TSH, employing a solid phase second antibody, and (SLUITER, VAN KERSEN, VAN ZANTEN, BEEKHUIS, DOORENBOS) . 255
Globulins, different anti-lymphocytic, determination of low-molecular substances in (TILZ, STÜBCHEN-KIRCHNER) 147
Glomerular filtration rate in man, comparison between [^{14}C]Inulin and [^{51}Cr]-EDTA measurement of (SHREEVE, JOHNSON) 453
Glucose, blood and urine, gas chromatographic measurement of, and other monosaccharides (MURPHY, PENNOCK) . 67
Glucose, studies of conditions for the polarographic determination of, with glucose oxidase (JEMMALI, RODRÍGUEZ-KÁBANA) 153
Glucose values, high, use of the Beckman glucose analyser for low and (MORRISON) 192
α-1,4-Glucosidases, glycogen breakdown in human lymphocytes: activities of phosphorylase and (KELLETER, SEILER) . . 57
Glycogen breakdown in human lymphocytes: activities of phosphorylase and α-1,4-glucosidases (KELLETER, SEILER) 57
Glycolipid bound to low density (β) lipoprotein, evidence for the role of: rubella virus non-specific haemagglutination inhibitor (SHORTRIDGE, BIDDLE, PEPPER) 285
Glycosaminoglycan metabolism in the serum of healthy and varicose subjects, determination of enzymes and degradation products of (NIEBES) 399
Glycosaminoglycans, urinary acidic, preparative separation of, by agar gel electrophoresis (TANIGUCHI) 221
Haemagglutination inhibitor, rubella virus

non-specific: evidence for the role of glycolipid bound to low density (β) lipoprotein (Shortridge, Biddle, Pepper) . . . 285
Hemodialysis, serum LDH in (Ringoir, Wieme) 315
Hemoglobin pigments. I. Spectrophotometric determination of oxy-, carboxy-, met-, and sulfhemoglobin in capillary blood (Siggaard-Andersen, Norgaard Pedersen, Rem) 85
Hemoglobin pigments. II. Photometer for oxygen saturation, carboxyhemoglobin and methemoglobin in capillary blood (Rem, Siggaard-Andersen, Norgaard-Pedersen, Sørensen) 101
Hemoglobin pigments. III. Mixing technique for preparation of known fractions of hemoglobin pigments (Norgaard-Pedersen, Siggaard-Andersen, Rem) 109
Heparin, effect of, on gentamicin concentration in blood (Yourassowsky, De Broe, Wieme) 189
Hepatic protein biosynthesis, uterine and, in estrogentreated and thyroidectomized rats (Feng, Mu, Ku, Lee, Wang, Yun) 225
Hexosaminidase A, white blood cell, neuminidase-induced changes in (Murphy, Craig) 267
Histidine load, the effect of an intravenous, on the plasma level of other amino acids (Hamblin, Holton) 37
Hydroxyethylcellulose–agarose gel, electroimmunodiffusion of α_2M, IgA and IgM in nanogram quantities with a: application to inconcentrated CSF (Schuller, Lefevre, Tömpe) 5
Hyperbetalipoproteinaemia, familial, composition of low density lipoprotein in children with, and the effect of treatment (Bagnall) 229
Hypogammaglobulinemia, renal acid excretion in patients with (Matsuda, Shida, Takekoshi, Fukushima) 241
IgA and IgM, electroimmunodiffusion of α_2M, in nanogram quantities with a hydroxyethylcellulose–agarose gel: application to unconcentrated CSF (Schuller, Lefevre, Tömpe) 5
Immunodiffusion, centripetal-radial, identification of precipitates in (Groc, Pissavy) 423
Immunoglobulins, binding of lipid dyes to (Torsvik, Boman, Bjermann, Harboe, Norum) 433
Infertility effect of an intrauterine device, stody on the uterine mucosubstances accompanying the (Abe, Endo, Yosizawa) 29
[^{14}C]Inulin and [^{51}Cr]EDTA measurement of glomerular filtration rate in man, com parison between (Shreeve, Johnson) 453
Intrauterine device, study on the uterine mucosubstances accompanying the infertility effect of an (Abe, Endo, Yosizawa) 29
Ion exchange method, determination of ammonia in blood plasma by an (Kurahasi, Ishihara, Uehara) 141
17-Ketosteroids, urinary, determination of individual, as the dansyl-hydrazones (Apter, Chayen, Gould, Harell) . . 115
LDH, serum, in hemodialysis (Ringoir, Wieme) 315
Leucocytes, comparative study of lysozymes from, of normal persons and of patients with chronic myelogenous leukaemia (Périn, Jollès) 77
Leukaemia, chronic myelogenous, comparative study of lysozymes from leucocytes of normal persons and of patients with (Périn, Jollès) 77
Lipid dyes, binding of, to immunoglobulins (Torsvik, Boman, Bjermann, Harboe, Norum) 433
Lipoprotein, composition of low density, in children with familial hyperbetalipoproteinaemia and the effect of treatment (Bagnall) 229
Lipoprotein, low density (β), evidence for the role of glycolipid bound to: rubella virus non-specific haemagglutination inhibitor (Shortridge, Biddle, Pepper) 285
Lipoproteins, serum low density, in healthy men, variation in composition of (Mills, Chong, Taylaur) 273
Lipoprotein lipase activity in human adipose tissue, rapid determination of (Nilsson-Ehle, Tornqvist, Belfrage) 383
Liver biopsy specimens, biochemical analysis of, bone marrow, peripheral white and red cells, and serum for the diagnosis *in vivo* of Niemann–Pick disease (Giardini, Cardi, Castro Donfrancesco) 15
Lysozymes, comparative study of, from leucocytes of normal persons and of patients with chronic myelogenous leukaemia (Périn, Jollès) 77
α_2-Macroglobulins, preparation of individual human. Comparative chemical properties (Frénoy, Razafimahaleo, Bourrillon) 51
Magnesium, nail, and calcium in chronic uraemia (Lim, Tay, Tan) 47
Mass spectrometric-gas chromatographic analysis of organic acids in amniotic fluid (Hagenfeldt, Hagenfeldt) . . 219
Mastectomy in patients with breast cancer, tryptophan metabolism and recurrence rates after (Bell, Tong, Mainwaring, Hayward, Bulbrook) . . . 445
Methylmalonyl CoA mutase—a radiochromatographic assay (Goodey, Gompertz) 119
Microdisc-electrophoresis, discontinuous, for quantitative albumin determination in urine of patients with kidney transplants (Weise, Bockhorn) 391
Neuraminidase-induced changes in white blood cell hexosaminidase A (Murphy, Craig) 267

Niemann–Pick disease, biochemical analysis of liver biopsy specimens, bone marrow, peripheral white and red cells, and serum for the diagnosis *in vivo* of (GIARDINI, CARDI, CASTRO, DONFRANCESCO) . 15
5′-Nucleotidase activity in serum, automated determination of (JONCQUIERT, NYSSEN, PLUMET, DORCHE) 361
Orthophosphatase activity, elevated alkaline, inorganic pyrophosphatase activity in human sera with (HORDER) 373
P_{O_2} measurements using the Clark electrode, factors affecting the precision and accuracy of (ISHERWOOD, ISHERWOOD, ANNAN) 295
Peripheral white and red cells, biochemical analysis of liver biopsy specimens, bone marrow, and serum for the diagnosis *in vivo* of Niemann–Pick disease (GIARDINI, CARDI, CASTRO, DONFRANCESCO) . . . 15
L-Phenylalanine inhibition as a method for measuring the intestinal component of alkaline phosphatase in dog serum (MARCUSON, TOMLINSON) 245
Phenylketonuria, pathogenesis of: inhibition of dopa and catecholamine synthesis in patients with phenylketonuria (CURTIUS, BAERLOCHER, VOLLMIN) . . 233
Phosphatase, alkaline, in dog serum, L-phenylalanine inhibition as a method for measuring the intestinal component of (MARCUSON, TOMLINSON) 245
Phosphatase, human placental alkaline, a new method of radioimmunoassay for (IINO, ABE, ODA, SUZUKI, SUGIURA) . . 161
Phosphokinase, serum creatine, factors affecting, levels in normal adult females (PATERSON, LAWRENCE) 131
Phosphorylase, glycogen breakdown in human lymphocytes: activities of, and α-1,4-glucosidases (KELLETER, SEILER) . 57
Photometer for oxygen saturation, carboxyhemoglobin, and methemoglobin in capillary blood (II). Hemoglobin pigments (REM, SIGGAARD-ANDERSEN, NØRGAARD-PEDERSEN, SØRENSEN) 101
o-Phthaldehyde reagent, application of serum cholesterol determination with, to the Vickers M-300 automated biochemical analysis system (NAKA) 193
Placental alkaline phosphatase, human, a new method of radioimmunoassay for (IINO, ABE, ODA, SUZUKI, SUGIURA) . . 161
Plasma amino acid abnormalities in chronic renal failure (ROBINS, MILEWCZYK, BOOTH, MALLICK) 215
Plasma level of other amino acids, the effect of an intravenous histidine load on the (HAMBLIN, HOLTON) 37
Plasma, urine and faeces, thin-layer chromatographic screening tests for carbohydrate anomalies in (KRAFFCZYK, HELGER, BREMER) 303
Plasma viscosity, investigations on the interaction of fibrinogen, globulin and albumin on (LEONHARDT, BUNGERT) . . . 181
Polarographic determination of glucose, studies of conditions for the, with glucose oxidase (JEMMALI, RODRÍGUEZ-KÁBANA) 153
Precipitates, identification of, in centripetal-radial immunodiffusion (GROC, PISSAVY) 423
Pregnancy, a quick and accurate pregnanediol determination in urine during, by semi-automated gas-liquid chromatography (ANKER, VAN KAMPEN) 335
Pregnanediol determination, a quick and accurate, in urine during pregnancy by semi-automated gas-liquid chromatography (ANKER, VAN KAMPEN) 335
Protein biosynthesis, uterine and hepatic, in estrogen-treated and thyroidectomized rats (FENG, MU, KU, LEE, WANG, YUN) 225
Pyrophosphatase activity, inorganic, in human sera with elevated alkaline orthophosphatase activity (HORDER) . . 373
Pyrrolidonecarboxylyl peptidase activity in normal intestinal biopsies and those from coeliac patients (WOODLEY) . . . 211
Quality control data, the application of standard deviation calculated from successive duplicates to (PAYNE) 263
Radiochromatographic assay, a—methylmalonyl CoA mutase (GOODEY, GOMPERTZ) 119
Radiofibril assay, collagenase, a reproducible quantitative (ROBERTSON, TAYLOR, FULLMER) 43
Radioimmunoassay, digoxin: sephadex separation of free from antibody-bound didoxin (BUNDGAARD CHRISTIANSEN, DAMKJÆR NIELSEN) 125
Radioimmunoassay, a, of human TSH, employing a solid phase second antibody and a purified globulin preparation for standardization of nonspecific protein interactions (SLUITER, VAN KERSEN, VAN ZANTEN, BEEKHUIS, DOORENBOS) 255
Radioimmunoassay, a new method of, for human placental alkaline phosphatase (IINO, ABE, ODA, SUZUKI, SUGIURA) . . 161
Renal acid excretion in patients with hypogammaglobulinemia (MATSUDA, SHIDA, TAKEKOSHI, FUKUSHIMA) 241
Rubella virus non-specific haemagglutination inhibitor: evidence for the role of glycolipid bound to low density (β) lipoprotein (SHORTRIDGE, BIDDLE, PEPPER) 285
Sephadex separation of free from antibody-bound digoxin: digoxin radioimmunoassay (BUNDGAARD CHRISTIANSEN, DAMKJÆR NIELSEN) 125
Sera, human, inorganic pyrophosphatase activity in, with elevated alkaline orthophosphatase activity (HORDER) . . . 373
Serum, biochemical analysis of liver biopsy specimens, bone marrow, peripheral white and red cells and, for the diagnosis

in vivo of Niemann-Pick disease (GIARDINI, CARDI, CASTRO, DONFRANCESCO) . 15
Serum, determination of amylase activity in, and urine using blue starch substrate (IRIE, HUNAKI, BANDO, KAWAI) 63
Serum, dog, L-phenylalanine inhibition as a method for measuring the intestinal component of alkaline phosphatase in (MARCUSON, TOMLINSON) 245
Serum of healthy and varicose subjects, determination of enzymes and degradation products of glycosaminoglycan metabolism in the (NIEBES) 399
Serum, human, methods for the estimation of ergocalciferol and dihydrotachysterol$_2$ in (EVANS) 343
Serum low density lipoproteins in healthy men, variation in composition of (MILLS, CHONG, TAYLAUR) 273
Serum, 5′-nucleotidase activity in, automated determination of (JONCQUIERT, NYSSEN, PLUMET, DORCHE) 361
Serum of senescent persons, decrease of tri-iodothyronine in (BRUNELLE, BOHOUN) 201
Serum cholesterol determination, application of, with *o*-phthaldehyde reagent to the Vickers M-300 automated biochemical analysis system (NAKA) 193
Serum cholesterol determination, a modification of, by continuous flow analysis (HUNTELER, VAN DER SLIK) 449
Serum creatine phosphokinase levels, factors affecting, in normal adult females (PATERSON, LAWRENCE) 131
Serum LDH in hemodialysis (RINGOIR, WIEME) 315
Spectrometry, atomic absorption, urinary, excretion of amino acids determined by (BOUSQUET, BOUVIER, DREUX) 327
Spectrophotometric determination of oxy-, carboxy-, met-, and sulfhemoglobin in capillary blood (I). Hemoglobin pigments (SIGGAARD-ANDERSEN, NORGAARD-PEDERSEN, REM) 85
Standard deviation, the application of, calculated from successive duplicates to quality control data (Payne) 263
Thin-layer chromatographic screening tests for carbohydrate anomalies in plasma, urine and faeces (KRAFFCZYK, HELGER, BREMER) 303
Transplants, kidney, discontinuous microdisc-electrophoresis for quantitative albumin determination in urine of patients with (WEISE, BOCKHORN) 391
Tri-iodothyronine in serum of senescent persons, decrease of (BRUNELLE, BOHOUN) 201
Tryptophan metabolism and recurrence rates after mastectomy in patients with breast cancer (BELL, TONG, MAINWARING, HAYWARD, BULBROOK) . . . 445
TSH, a radioimmunoassay of human, employing a solid phase second antibody, and a purified globulin preparation for standardization of nonspecific protein interactions (SLUITER, VAN KERSEN, VAN ZANTEN, BEEKHUIS, DOORENBOS, DOORENBOS) 255
Tyrosine in blood, hormonal influences on the concentration of (DE LANGE, VISSER, DOORENBOS) 21
Uraemia, chronic, nail magnesium and calcium in (LIM, TAY, TAN) 47
Urinary acidic glycosaminoglycans, preparative separation of, by agar gel electrophoresis (TANIGUCHI) 221
Urinary excretion of amino acids determined by atomic absorption spectrometry (BOUSQUET, BOUVIER, DREUX) . 327
Urinary 17-ketosteroids, determination of individual, as the dansyl-hydrazones (APTER, CHAYEN, GOULD, HARELL) . . 115
Urinary peptides and amino acids, an automated chromatographic system for the combined analysis of (KLOSSE, HUISTRA, DE BREE, WADMAN, VLIEGENTHART) . . 409
Urine, a quick and accurate pregnanediol determination in, during pregnancy by semi-automated gas-liquid chromatography (ANKER, VAN KAMPEN) 335
Urine of patients with kidney transplants, discontinuous microdisc-electrophoresis for quantitative albumin determination in (WEISE, BOCKHORN) 391
Urine and faeces, plasma, thin-layer chromatographic screening test for carbohydrate anomalies in (KRAFFCZYK, HELGER, BREMER) 303
Urine, serum and, determination of amylase, activity in, using blue starch substrate (IRIE, HUNAKI, BANDO, KAWAI) . 63
Urine glucose, blood and, gas chromatographic measurement of, and other monosaccharides (MURPHY, PENNOCK) . . 67
Uterine and hepatic protein biosynthesis in estrogentreated and thyroidectomized rats (FENG, MU, KU, LEE, WANG, YUN) 225
Uterine mucosubstances, study on the, accompanying the infertility effect of an intrauterine device (ABE, ENDO, YOSIZAWA) 29
Varicose subjects, serum of healthy and, determination of enzymes and degradation products of glycosaminoglycan metabolism in the (NIEBES) 399
Vickers M-300 automated biochemical analysis system, the, application of serum cholesterol determination with *o*-phthaldehyde reagent to (NAKA) . . . 193
Wilson's disease, inproved method for investigation of copper metabolism in patients with, using ^{64}Cu (BIESOLD, GÜNTHER) 353